THE ROYAL BOTANIC GARDEN
EDINBURGH

EDINBURGH JOURNAL OF BOTANY

General Index to Volume 49
1992–1993

EDINBURGH: HMSO

Publication Dates:

Number 1, pp. 1–121	30 April 1992
Number 2, pp. 123–250	31 August 1992
Number 3, pp. 251–361	26 February 1993

CONTENTS OF VOLUME 49
1992–1993

Plant portrait — *Rhododendron polyanthemum*. **George Argent & Mary Bates** 1
Keys to the Gesneriaceae of China. **Wang Wentsai, Pan Kaiyu & Li Zhenyu** 5
Two new species of *Streptocarpus* from Southern Africa. **O. M. Hilliard** 75
Notes on *Dioscorea kamoonensis* and related taxa. **K. Y. Guan & D. F. Chamberlain** 77
A new species and a new combination in the genus *Ephedra* from Arabia. **H. Freitag & M. Maier-Stolte** 89
A new species of *Ixora* from Burma. **D. B. Deb & R. C. Rout** 95
Macromycetes of Mediterranean Turkey. **Mustafa Isiloglu & Roy Watling** 99
A revision of *Geranium* in south-west China. **P. F. Yeo** 123
Reduction of *Spongiosyndesmus* Gilli to *Ladyginia* Lipsky (Umbelliferae). **Michael Piminov & Eugine V. Kljukov** 213
Ormosolenia restored. **Michael G. Pimenov** 219
New names and combinations in *Jamesbrittenia* (Scrophulariaceae - Manuleae). **O. M. Hilliard** 225
An analysis of the floristic composition of 26 cerrado areas in Brazil. **J. A. Ratter & T. C. D. Dargie** 235
The taxonomy of multiseed Junipers (*Juniperus* sect. *Sabina*) in south-west Asia and East Africa (Taxonomic notes on Cupressaceae I). **Aljos Farjon** 251
Gesneriaceae of the Old World III. New species and varieties from Borneo, chiefly from Mt Kinabalu. **B. L. Burtt** 285
Miscellaneous new names and combinations in Scrophulariaceae - Manuleae. **O. M. Hilliard** 297
Lectotypes for Himalayan *Sorbus* taxa (Rosaceae). **Keith Rushforth** 299
Wild and cultivated *Dracaena fragrans*. **J. J. Bos, P. Graven, W. L. A. Hetterscheid & J. J. van de Wege** 311
Numerical taxonomic study on Turkish *Lathyrus* (Leguminosae). **M. Dogan, A. Kence & C. Tigin** 333
Boletes from South and East Central Africa – I. **Roy Watling & Evelyn Turnbull** 343

Aeschynanthus Jack, 13
acuminata A. DC., 63
acuminatissimus W.T. Wang, 65
andersonii Clarke, 64
angustioblongus W.T. Wang, 65
angustissimus (W.T. Wang) W.T. Wang, 63
austroyunnanensis W.T. Wang, 65
var. guangxiensis (W.T. Wang) W.T. Wang, 65
bracteatus A. DC., 63
buxifolius Hemsl., 64
denticuliger W.T. Wang, 64
dolichanthus W.T. Wang, 66
gracilis Clarke, 64
guangxiensis W.T. Wang, 65
hookeri Clarke, 65
humilis Hemsl., 64
lancilimbus W.T. Wang, 65
lasiacanthus W.T. Wang, 65
lasiocalyx W.T. Wang, 66
linearifolius C.E.C. Fisch., 64
lineatus Craib, 65
macranthus (Merr.) Pellegr., 66
maculatus Lindl., 65
medongensis W.T. Wang, 65
mengxingensis W.T. Wang, 64
mimetes Burtt, 66
moningeriae (Merr.) Chun, 63
novogracilis W.T. Wang, 64
pachytrichus W.T. Wang, 66
planipetiolatus H.W. Li, 65
poilanei Pellegr., 63
sinolongicalyx W.T. Wang, 63
stenosepalus Anthony, 63
superbus Clarke, 63
tengchungensis W.T. Wang, 65
tubulosus Anthony, 65
wardii Merr., 63
Africa, East. Juniperus sect. Sabina in, 251
Afroboletus Pegler & Young, 344
azureotinctus Watl., 344
costatisporus (Beeli) Watl., 346
lepidellus (Gilbert ex Heinem.) Watl., 346
Agalmyla tuberculata Hook. fil. var. ovata B.L. Burtt, 285
Agaricus bisporus (Lange) Singer, 101
campestris (L.) Fr., 101
cupreobrunneus (Schaeff. & Steer) Möller, 101
Aikinia, 73
Allocheilos W.T. Wang, 12
cortusiflorum W.T. Wang, 57
Allostigma W.T. Wang, 11
guangxiense W.T. Wang, 30
Amanita caesarea (Scop.: Fr.) Pers., 101
codinae (R. Maire) Singer, 102
ovoidea (Bull.: Fr.) Quélet, 102
Ancylostemon Craib, 10
aureus (Franch.) Burtt, 22
convexus Craib, 22
gamosepalis K.Y. Pan, 21
humilis W.T. Wang, 21
mairei (Lévl.) Craib, 21
notochlaena (Lévl. & Van.) Craib, 21
rhombifolius K.Y. Pan, 22
ronganensis K.Y. Pan, 21
saxatilis (Hemsl.) Craib, 21
trichanthus Burtt & Davidson, 22
vulpinus Burtt & Davidson, 22
Anna Pellegr., 13
mollifolia (W.T. Wang) W.T. Wang & K.Y. Pan, 61
ophiorrhizoides (Hemsl.) Burtt & Davidson, 61
submontana Pellegr., 61
Arabia, A new species and a new combination in the genus Ephedra from, 89
ARGENT, G.C.G.
Rhododendron polyanthemum Sleumer, 1
Armillaria mellea (Fr.) Kummer, 110
Asia, south-west. Juniperus sect. Sabina in, 251
Astraeus hygrometricus (Pers.) Morgan, 116
Aureoboletus sp., 346

Beccarinda Kuntze, 10
argentea (Anthony) Burtt, 27
erythrotricha W.T. Wang, 27
minima K.Y. Pan, 27
paucisetulosa H.W. Li, 27
sinensis (Chun) Burtt, 27
tonkinensis (Pellegr.) Burtt, 27
Bjerkandera adusta (Fr.) Karsten, 113
Boea Lam., 13
clarkeana Hemsl., 60
hygrometrica (Bunge) R. Br., 60
philippensis Clarke, 60
Boeica Clarke, 10, 28
ferruginea Drake, 28
fulva Clarke, 28
guileana Burtt, 28
multinervia K.Y. Pan, 28
porosa Clarke, 28
stolonifera K.Y. Pan, 28
yunnanensis (H.W. Li) K.Y. Pan, 28
Boeicopsis, 73
Boletellus pustulatus (Beeli) Gilbert, 347
Boletes from South and East Central Africa – I, 343
Borneo, New species of Gesneriaceae from, 285
BOS, J.J., GRAVEN, P., HETTERSCHEID, W.L.A. & VAN DE WEGE J.J.
Wild and cultivated Dracaena fragrans, 311
Bournea Oliv., 9
leiophylla (W.T. Wang) W.T. Wang & K.Y. Pan, 14
sinensis Oliv., 14
Bovista plumbea Pers., 114
polymorpha (Vitt.) Kreisel, 115
Brachiostemon, 73
Brazil, An analysis of the floristic composition of 26 Cerrado areas in, 235
Briggsia Craib, 10
acutiloba K.Y. Pan, 24
agnesiae (Forrest) Craib, 24
amabilis (Diels) Craib, 22
aurantiaca Burtt, 23
chienii Chun, 23
dongxingensis K.Y. Pan, 22
elegantissima (Lévl. & Van.) Craib, 24
forrestii Craib, 24
humilis K.Y. Pan, 23
latisepala K.Y. Pan, 23
longicaulis W.T. Wang & K.Y. Pan, 22
longifolia Craib, 23
longipes (Hemsl.) Craib, 22
mairei Craib, 23
mihieri (Franch.) Craib, 22
muscicola (Diels) Craib, 23
parvifolia K.Y. Pan, 24
pinfaënsis (Lévl.) Craib, 24
rosthornii (Diels) Burtt, 24
speciosa (Hemsl.) Craib, 24
stewardii Chun, 23
Briggsiopsis K.Y. Pan, 10
delavayi (Franch.) K.Y. Pan, 24
Buchnera aurantiaca Burchell, 227
Burma, A new species of Ixora from, 95
BURTT, B.L.
Gesneriaceae of the Old World, III. New species and varieties from Borneo, chiefly from Mt Kinabalu, 285
Buxiphyllum, 73

Calcareoboea H.W. Li, 12
coccinea H.W. Li, 57
Camptoloma, 225
Cathayanthe Chun, 10
biflora Chun, 27
Ceratoscyphus, 73
Cerrado, An analysis of the floristic composition of, 235
Chaenostoma fleckii Thell., 229
hereroense Engl., 230
heucherifolium Diels, 230
huillanum Diels, 230
kraussianum Bernh., 230
lyperioides Engl., 230
montana Diels, 231
pedunculosum Benth., 232
primuliflorum Thell., 232
sessilifolium Diels, 232

CHAMBERLAIN, D.F. & GUAN, K.Y.
Notes on Dioscorea kamoonensis and related taxa, 77
China, Keys to the Gesneriaceae of, 5
China, A revision of Geranium L. in south-west, 123
Chirita D. Don, 12
anachoreta Hance, 48
atropurpurea W.T. Wang, 42
bicolor W.T. Wang, 41
brachystigma W.T. Wang, 42
brachytricha W.T. Wang & D.Y. Chen, 46
brassicoides W.T. Wang, 44
briggsioides W.T. Wang, 47
carnosifolia H.W. Li, 45
ceratoscyphus Burtt, 47
cordifolia W.T. Wang, 44
cruciformis (Chun) W.T. Wang, 44
depressa Hook. f., 43
dielsii (Borza) Burtt, 47
dimidiata Clarke, 48
eburnea Hance, 43
fangii W.T. Wang, 44
fasciculiflora W.T. Wang, 47
fimbrisepala H.-M., 41
flavimaculata W.T. Wang, 45
floribunda W.T. Wang, 45
fordii (Hemsl.) Wood, 46
forrestii Anthony, 46
fruticola H.W. Li, 47
glabrescens W.T. Wang, 41
guangxiensis S.Z. Huang, 29
gueilinensis W.T. Wang, 45
hamosa R. Br., 38
hedyotidea (Chun) W.T. Wang, 46
heterotricha Merr., 45
infundibuliformis W.T. Wang, 47
juliae Hance, 38, 45
lachenensis Clarke, 47
laifengensis W.T. Wang, 41
laxiflora W.T. Wang, 45
leiophylla W.T. Wang, 44
liboensis W.T. Wang, 38
lienxienensis W.T. Wang, 43
liguliformis W.T. Wang, 45
linearifolia W.T. Wang, 42
linglingensis W.T. Wang, 46
longgangensis W.T. Wang, 42
longistyla W.T. Wang, 46
lunglinensis W.T. Wang, 44
lungzhouensis W.T. Wang, 44
macrophylla Wall., 47
medica W.T. Wang, 45
minutihamata Wood, 46
minutimaculata D. Fang & W.T. Wang, 43
monantha W.T. Wang, 46
oblongifolia (Roxb.) Sinclair, 48
obtusa Clarke, 29
obtusidentata W.T. Wang, 41
ophiopogoides D. Fang & W.T. Wang, 38
orthandra W.T. Wang, 43
parvifolia W.T. Wang, 42
pinnata W.T. Wang, 38
pinnatifida (H.-M.) Burtt, 38
polycephala (Chun) W.T. Wang, 43
pseudoburnea D. Fang & W.T. Wang, 43
pteropoda W.T. Wang, 46
pumila D. Don, 48
roseoalba W.T. Wang, 46
rotundifolia (Hemsl.) Wood, 44
sclerophylla W.T. Wang, 42
secundiflora (Chun) W.T. Wang, 41
shenlungjiaensis W.T. Wang, 44
sichuanensis W.T. Wang, 43
sinensis Lindl., 43
spadiciformis W.T. Wang, 42
speciosa Kurz, 47
speluncae (H.-M.) Wood, 41
spinulosa D. Fang & W.T. Wang, 38
subrhomboidea W.T. Wang, 41
subulatisepala W.T. Wang, 43
swinglei (Merr.) W.T. Wang, 45
tenuifolia W.T. Wang, 42
tenuituba W.T. Wang, 44
tibetica (Franch.) Burtt, 46
tribracteata W.T. Wang, 42
urticifolia D. Don, 48
verecunda (Chun) W.T. Wang, 41
vestita Wood, 41
villosissima W.T. Wang, 44

Chiritopsis W.T. Wang, 12
bipinnatifida W.T. Wang, 50
confertiflora W.T. Wang, 50
cordifolia D. Fang & W.T. Wang, 50
lobulata W.T. Wang, 50
mollifolia D. Fang & W.T. Wang, 48
repanda W.T. Wang, 50
subulata W.T. Wang, 50
Chroogomphus rutilus (Fr.) Miller, 105
Clitocybe radicellata Gillet, 110
Conandron Sieb. & Zucc., 8
ramondioides Sieb. & Zucc., 15
Coprinus atramentarius (Bull.: Fr.) Fr., 103
galericuliformis Losa ex Watl., 103
ovatus (Schaeffer: Fr.) Fr., 103
picaceus (Bull.) Fr., 103
Corallodiscus Batalin, 10
bullatus (Craib) Burtt, 26
conchifolius Batalin, 26
cordatulus (Craib) Burtt, 27
flabellatus (Craib) Burtt, 26
forrestii (Anth.) Burtt, 26
kingianus (Craib) Burtt, 26
labordei (Craib) Burtt, 27
lanuginosus (DC.) Burtt, 26
patens (Craib) Burtt, 26
plicatus (Franch.) Burtt, 26
taliensis (Craib) Burtt, 27
Cortinarius subvalidus R. Henry, 104
Cyathus olla (Batsch.) Pers., 115
Cycnium carvalhoi Engl., 228
Cyrtandra J.R. & G. Forst., 14
areolata (Stapf) B.L. Burtt
var. grandis B.L. Burtt, 286
clarkei Stapf, 286
var. brachycalyx B.L. Burtt, 287
var. clarkei, 287
var. grandis B.L. Burtt, 287
var. longipetiolata B.L. Burtt, 288
corniculata B.L. Burtt, 289
dallasensis B.L. Burtt, 290
dolichopoda B.L. Burtt, 291
kermesina, 288
leiocrater B.L. Burtt, 292
multicaulis B.L. Burtt, 292
papyracea B.L. Burtt, 293
rubricalyx B.L. Burtt, 294
sinclairiana B.L. Burtt, 295
umbellifera Merr., 71
Cystoderma amianthium (Scop.) Fayod, 110

DARGIE, T.C.D. & RATTER, J. A.
An analysis of the floristic composition of 26 Cerrado areas in Brazil, 235
Dasydesmus, 73
Dayaoshania W.T. Wang, 11
cotinifolia W.T. Wang, 29
DEB, D.B. & ROUT, R.C.
A new species of Ixora from Burma, 95
Deinocheilos W.T. Wang, 11
jiangxiense W.T. Wang, 35
sichuanense W.T. Wang, 35
Deltocheilos, 73
tenuitubum W.T. Wang, 44
Dichiloboea, 73
Didissandra Clarke, 10
begoniifolia Lévl., 25
longipedunculata H.W. Li, 25
macrosiphon (Hance) W.T. Wang, 25
sesquifolia Clarke, 25
sinica (Chun) W.T. Wang, 25
Didymocarpus Wall., 13
adenocalyx W.T. Wang, 53
aromaticus Wall., 53
cortusifolius (Hance) Lévl., 54
demissus Hance, 54
glandulosus (W.W. Smith) W.T. Wang, 52
grandidentatus (W.T. Wang) W.T. Wang, 53
hancei Hemsl., 54
heucherifolius Hand.-Mazz., 54
leiboensis Z.P. Soong & W.T. Wang, 52
margaritae W.W. Smith, 50
medongensis W.T. Wang, 52
mengtze W.W. Smith, 53
mollifolius W.T. Wang, 54

nanophyton H.W. Li, 53
niveolanosus D. Fang & W.T. Wang, 54
praeteritus Burtt & Davidson, 52
primulifolius D. Don, 53
pseudomengtze W.T. Wang, 52
pulcher Clarke, 52
purpureobracteatus W.W. Smith, 52
reniformis W.T. Wang, 54
salviflorus Chun, 54
silvarum W.W. Smith, 52
sinoprimulinus W.T. Wang, 54
stenanthos Clarke, 53
stenocarpus W.T. Wang, 52
villosus D. Don, 53
yuenlingensis W.T. Wang, 54
yunnanensis (Franch.) W.W. Smith, 52
zhenkangensis W.T. Wang, 52
zhufengensis W.T. Wang, 53
Didymostigma W.T. Wang, 11
obtusum (Clarke) W.T. Wang, 29
Dioscorea kamoonensis, Notes on, 77
Dioscorea brevifolia (Prain & Burkill) K.Y. Guan & D.F. Chamberlain, 79, 86
delavayi Franchet, 80, 84
kamoonensis Kunth, 80
ochroleuca K.Y. Guan & D.F. Chamberlain, 79, 85
DOGAN, M., KENCE, A. & TIGIN, C.
Numerical taxonomic study on Turkish Lathyrus (Leguminosae), 333
Dolicholoma D. Fang & W.T. Wang, 13
jasminiflorum D. Fang & W.T. Wang, 57
Dorcoceras, 73
Dracaena fragrans, Wild and cultivated, 311
Dracaena congoensis Hua, 313
deistelliana Engl., 313
deremensis Engl., 313
fragrans (L.) Ker Gawler, 315
steudneri Engl.
var. kilimandscharica Engl., 314

East Central Africa, Boletes from South and, 343
Ephedra, a new species and a new combination in the genus, 89
Ephedra milleri Freitag & Maier-Stolte, 89
pachyclada Boiss.
subsp. sinaica (Riedl.) Freitag & Maier-Stolte, 92
Epithema Blume, 14
carnosum Benth., 73
Erinus incisa Thunb., 230

FARJON, A.
The taxonomy of multiseed Junipers (Juniperus sect. Sabina) in south-west Asia and East Africa (Taxonomic notes on Cupressaceae I), 251
Floristic composition of 26 Cerrado areas in Brazil, An analysis of, 235
FREITAG, H. & MAIER-STOLTE, M.
A new species and a new combination in the genus Ephedra from Arabia, 89

Geastrum pectinatum Pers., 114
Geranium L. in south-west China, A revision of, 123
Geranium angustilobum Z.M. Tan, 163
ascendens Z.M. Tan, 131-2, 196
batangense Pax & Hoff., 163
bockii, 129-31
bockii Knuth, 143
butoense, 128
butoense Z.M. Tan, 154
calanthum Hand.-Mazz., 165
candicans Knuth, 171
canopurpureum Yeo, 129, 138
carolinianum L., 131, 191
christensenianum Hand.-Mazz., 131, 176
dahuricum DC., 130, 132
delavayi Franchet, 128, 165
donianum Sweet, 130, 162
duclouxii Yeo, 130, 148

eriophorum Léveillé, 204
eriostemon Fisch. ex DC., 176
fangii Knuth, 182, 189
fargesii Yeo, 132, 150
farreri Stapf, 130-1, 173
forrestii Knuth, 165
forrestii Stapf, 160
franchetii Knuth, 130, 132, 146
  var. franchetii, 148
  var. glandulosum Z.M. Tan, 148
fusiforme Yeo, 155
hastatum Nakai, 187
henryi Knuth, 130, 141
  var. henryi, 142
  var. wilsonii (Knuth) Yeo, 142
hispidissimum (Franchet) Knuth, 132, 199
hupehanum Knuth, 142
kariense Knuth, 165
krameri Franchet & Sav., 130, 134
kweichowense Huang, 201
lavergneanum Lévl., 182
  var. *cinerascens* Lévl., 189
limprichtii Lingels. & Borza, 165
mairei Lévl., 167
meiguense Z.M. Tan, 169
melanandrum Franchet, 163
moupinense Franchet, 132, 195
multifidum D. Don, 162
napuligerum Franchet, 129, 158
nepalense Sweet, 129, 182
  var. *thunbergii* (Siebold ex Lindley & Paxton) Kudo, 185
ocellatum Cambess., 131, 200
  var. *himalaicum* Knuth, 201
  var. *yunnanensis* Knuth, 201
oliganthum Huang, 183
orientali-tibeticum Knuth, 130, 137
palustre
  var. *stipulaceum* Franch., 169
platyanthum Duthie, 131, 176
platylobum Knuth, 199
platypetalum Franch., 167
platyrenifolium Z.M. Tan, 132, 153
pogonanthum Franchet, 128, 169
polyanthes Edgew. & Hook. f., 132, 192
pratense L., 128, 181
pseudofarreri Z.M. Tan, 131, 145
pylzowianum Maxim., 130, 135
refractoides Pax & Hoff., 163
refractum Edgew. & Hook. f., 128, 163
retectum Yeo, 131, 179
robertianum L., 128, 204
  var. *eriophorum* (Lévl.) Lévl., 204
rosthornii Knuth, 129, 155
sibiricum L., 129, 189
sieboldii Maxim., 134
sinense Knuth, 128, 167
stapfianum Hand.-Mazz., 130, 160
stenorrhizum Stapf, 162
strictipes Knuth, 132, 197
strigellum Knuth, 146
strigosum Franchet, 197
  var. *gracile* Franchet, 197
  var. *grandiflorum* Franchet, 197
  var. *hispidissimum* Franchet, 199
  var. *platylobum* Franchet, 199
tapintzense Huang, 201
terminale Z.M. Tan, 205
thunbergii Siebold ex Lindley & Paxton, 129, 185
umbelliforme Franchet, 132, 194
wilfordii Maxim., 129, 131, 187
  var. *glandulosum* Z.M. Tan, 187
wilsonii Knuth, 142
wlassovianum Fischer ex Link, 130, 159
yuexiense Z.M. Tan, 132, 186
yunnanense Franchet, 128, 171
yunnanense sensu Yeo, 169
Gesneriaceae of China, Keys to the, 5
Gesneriaceae of the Old World, III. New species and varieties from Borneo, chiefly from Mt Kinabalu, 285
GRAVEN, P., BOS, J.J., HETTERSCHEID, W.L.A. & VAN DE WEGE, J. J. Wild and cultivated Dracaena fragrans, 311
GUAN, K.Y. & CHAMBERLAIN, D.F. Notes on Dioscorea kamoonensis and related taxa, 77
Gyrocheilos W.T. Wang, 13

chorisepalum W.T. Wang
var. chorisepalum, 57
var. synsepalum W.T. Wang, 57
lasiocalyx W.T. Wang, 57
microtrichum W.T. Wang, 57
rectotrichum W.T. Wang
var. oligolobum W.T. Wang, 57
var. rectotrichum, 57
Gyrogyne W.T. Wang, 14
subaequifolia W.T. Wang, 71
Gyroporus castaneus (Bull.: Fr.) Quélet, 348
microsporus
var. congolensis (Heinem.) Heinem. & Rameloo, 348

Hebeloma sinapizans (Paulet: Fr.) Gillet, 105
Helvella crispa Fr., 116
leucopus Pers., 116
Hemiboea Clarke, 11
bicornuta (Hayata) Ohwi, 30
cavalerei Lévl., 31
fangii Z.Y. Li, 32
flaccida Z.Y. Li, 32
follicularis Clarke, 32
gamosepala Z.Y. Li, 32
glandulosa Z.Y. Li, 32
gracilis Franch., 31
henryi Clarke, 31
integra H.W. Li, 30
latisepala Z.Y. Li, 31
longgangensis Z.Y. Li, 32
longisepala Z.Y. Li, 30
lungzhouensis Z.Y. Li, 30
mollifolia W.T. Wang, 32
omeiensis W.T. Wang, 31
parviflora Z.Y. Li, 31
pingbienensis Z.Y. Li, 31
strigosa W.T. Wang, 31
subacaulis Hand.-Mazz., 31
subcapitata Clarke, 31
Hemiboeopsis W.T. Wang, 12
longisepala (H.W. Li) W.T. Wang, 32
HETTERSCHEID, W.L.A., BOS, J.J., GRAVEN, P. & J.J. VAN DE WEGE, J. J.
Wild and cultivated Dracaena fragrans, 311
HILLIARD, O.M.
Miscellaneous new names and combinations in Scrophulariaceae - Manuleae, 297
New names and combinations in Jamesbrittenia (Scrophulariaceae - Manuleae), 225
Two new species of Streptocarpus from Southern Africa, 75
Himalayan Sorbus taxa (Rosaceae), Lectotypes for, 299
Hohenbuehelia rickenii (Kühner) P.D. Orton, 110
Hygrophorus chrysodon (Batsch) Fr., 106

Inocybe geophylla (Sow.: Fr.) Kummer
var. lilacina Gillet, 105
patouillardii Bres., 105
Isanthera, 74
ISILOGLU, MUSTAFA & WATLING, ROY
Macromycetes of Mediterranean Turkey, 99
Isometrum Craib, 9-10
crenatum K.Y. Pan, 20
eximium K.Y. Pan, 19
fargesii (Franch.) Burtt, 19
farreri Craib, 20
giraldii (Diels) Burtt, 20
glandulosum (Batalin) Craib, 19
lancifolium (Franch.) K.Y. Pan
var. lancifolium, 20
var. mucronatum K.Y. Pan, 20
leucanthum (Diels) Burtt, 19
lungshengense (W.T. Wang) W.T. Wang & K.Y. Pan, 19
pinnatilobatum K.Y. Pan, 20
primuliflorum (Batalin) Burtt, 20
sichuanicum K.Y. Pan, 20
villosum K.Y. Pan, 20
Ixora, A new species from Burma, 95

Ixora keenanii Deb & Rout, 95

Jamesbrittenia, New names and combinations in, 225
Jamesbrittenia O. Kuntze, 225
accrescens (Hiern.) Hilliard, 225
acutiloba (Pilger) Hilliard, 225
adpressa (Dinter) Hilliard, 225
albanensis Hilliard, 225
albiflora (Verdoorn) Hilliard, 226
albobadia Hilliard, 226
albomarginata Hilliard, 226
amplexicaulis (Benth.) Hilliard, 226
angolensis Hilliard, 226
argentea (L. f.) Hilliard, 226
aridicola Hilliard, 226
aspalathoides (Benth.) Hilliard, 227
aspleniifolia Hilliard, 227
atropurpurea (Benth.) Hilliard, 227
subsp. pubescens Hilliard, 227
aurantiaca (Burchell) Hilliard, 227
barbata Hilliard, 227
beverlyana (Hilliard & Burtt) Hilliard, 227
bicolor (Dinter) Hilliard, 227
breviflora (Schltr.) Hilliard, 227
burkeana (Benth.) Hilliard, 227
calciphila Hilliard, 227
candida Hilliard, 228
canescens (Benth.) Hilliard, 228
var. laevior (Dinter) Hilliard, 228
var. seineri (Pilger) Hilliard, 228
carvalhoi (Engl.) Hilliard, 228
chenopodioides Hilliard, 228
concinna (Hiern) Hilliard, 228
crassicaulis (Benth.) Hilliard, 228
dentatisepala (Overkott) Hilliard, 228
dolomitica Hilliard, 228
elegantissima (Schinz) Hilliard, 229
filicaulis (Benth.) Hilliard, 229
fimbriata Hilliard, 229
fleckii (Thell.) Hilliard, 229
fodina (Wild) Hilliard, 229
foliolosa (Benth.) Hilliard, 229
fragilis (Pilger) Hilliard, 229
fruticosa (Benth.) Hilliard, 229
giessii Hilliard, 229
glutinosa (Benth.) Hilliard, 229
grandiflora (Galpin) Hilliard, 229
hereroensis (Engl.) Hilliard, 230
heucherifolia (Diels) Hilliard, 230
huillana (Diels) Hilliard, 230
incisa (Thunb.) Hilliard, 230
integerrima (Benth.) Hilliard, 230
jurassica (Hilliard & Burtt) Hilliard, 230
kraussiana (Bernh.) Hilliard, 230
lesutica Hilliard, 230
lyperioides (Engl.) Hilliard, 230
macrantha (Codd) Hilliard, 230
major (Pilger) Hilliard, 230
maritima (Hiern) Hilliard, 230
maxii (Hiern) Hilliard, 230
megadenia Hilliard, 230
megaphylla Hilliard, 230
merxmuelleri (Roessler) Hilliard, 231
micrantha (Klotzsch) Hilliard, 231
microphylla (L. f.) Hilliard, 231
montana (Diels) Hilliard, 231
multisecta Hilliard, 231
myriantha Hilliard, 231
namaquensis Hilliard, 231
pallida (Pilger) Hilliard, 232
pedunculosa (Benth.) Hilliard, 232
phlogiflora (Benth.) Hilliard, 232
pilgeriana (Dinter) Hilliard, 232
pinnatifida (L. f.) Hilliard, 232
primuliflora (Thell.) Hilliard, 232
pristisepala (Hiern) Hilliard, 232
racemosa (Benth.) Hilliard, 232
ramosissima (Hiern) Hilliard, 232
sessilifolia (Diels) Hilliard, 232
silenoides (Hilliard) Hilliard, 232
stellata Hilliard, 232
stricta (Benth.) Hilliard, 232
tenella (Hiern) Hilliard, 232
tenuifolia (Bernh.) Hilliard, 232
thunbergii (G. Don) Hilliard, 233
tortuosa (Benth.) Hilliard, 233
tysonii (Hiern) Hilliard, 233
zambesica (R.E. Fries) Hilliard, 233
zuurbergensis Hilliard, 233

Juniperus sect. Sabina in south-west Asia and East Africa, Taxonomy of, 251
Juniperus drobovii Sumnevicz, 277
excelsa M.-Bieb., 255
subsp. excelsa, 278
subsp. polycarpos (K. Koch) Takhtajan, 259, 278
var. *pendula* (Mulk.) Imkhanitskaya, 260
subsp. *seravschanica* (Komarov) Imkhanitskaya, 260
subsp. *turcomanica* (B.A. Fedtsch.) Imkhanitskaya, 260
var. *depressa* O. Schwarz, 256
var. *farreana* P.N. Mehra, 260
var. *polycarpos* (K. Koch) Silba, 260
excelsa auct. non M.-Bieb., 271
excelsa Wall., sensu Aitch., 260
foetida
var. *excelsa* (M.-Bieb.) Spach, 256
var. *sqarrulosa* Spach, 265
foetidissima Willd., 265, 278
var. *pindicola* Formanek, 265
var. *squarrosa* Medw., 265
hochstetteri Ant., 267
isophyllos K. Koch, 256
jarkedensis Komarov, 271
macropoda Boiss., 260
macropoda auct., non Boiss., 271
phoenicea Pall., 265
polycarpos K. Koch, 259
var. *pendula* Mulk., 260
var. *seravschanica* (Komarov) Kitamura, 260
procera Hochst. ex. Endl., 267, 278
sabina
var. *excelsa* (M.-Bieb.) Georgi, 256
var. *taurica* Pall., 256
sabinoides Griseb., 265
schugnanica Komarov, 271
semiglobosa Regel, 271, 278
seravschanica Komarov, 260
talassica Lipsky, 271
taurica (Pall.) Lipsky, 256
tianschanica Sumnevicz, 277
turcomanica B.A. Fedtsch., 260

KENCE, A., DOGAN, M. & TIGIN, C.
Numerical taxonomic study on Turkish Lathyrus (Leguminosae), 333
KLJUYKOV, EUGINE V. & PIMENOV, MICHAEL
Reduction of Spongiosyndesmus Gilli to Ladyginia Lipsky (Umbelliferae), 213
Klugia, 74

Laccaria laccata (Scop.: Fr.) Berk. & Br., 110
Lacrymaria lacrymabunda (Bull.: Fr.) Pat., 103
Lactarius deliciosus (Fr.) S.F. Gray, 108
Ladyginia, Reduction of Spongiosyndesmus Gilli to, 213
Ladyginia Lipsky, 215
afghanica (Gilli) Pimenov & Kljuykov, 217
gigantea (Leute) Pimenov & Kljuykov, 217
Lagarosolen W.T. Wang, 12
hispidus W.T. Wang, 35
Lathyrus (Leguminosae), Numerical taxonomic study on Turkish, 333
Lathyrus section Gorgonis Dogan, 339
Leccinum corsicum (Roll.) Singer, 102
Lectotypes for Himalayan Sorbus taxa (Rosaceae), 299
Lentinus tigrinus (Bull.: Fr.) Fr., 107
Lepiota helveola Bres., 106
Lepista saeva (Fr.) P.D. Orton, 111
sordida (Fr.) Singer, 111
Leptoboea Benth., 10
multiflora (Clarke) Gamble, 27
Leucoagricus leucothites (Vitt.) Wasser, 106
LI ZHENYU, WANG WENTSAI & PAN KAIYU
Keys to the Gesneriaceae of China, 5

Loxostigma Clarke, 13
brevipetiolatum W.T. Wang & K.Y. Pan, 62
cavaleriei (Lévl. & Van) Burtt, 62
fimbrisepalum K.Y. Pan, 62
glabrifolium D. Fang & K.Y. Pan, 62
griffithii (Wight) Clarke, 62
mekongense (Franch.) Burtt, 62
musetorum H.W. Li, 62
Lycoperdon atropurpureum Vitt., 115
molle Pers., 115
perlatum Pers., 115
Lyperia Benth., 225
acutiloba Pilger, 225
amplexicaulis Benth., 226
aspalathoides Benth., 227
atropurpurea Benth., 227
breviflora Schltr., 227
burkeana Benth., 227
canescens Benth., 228
crassicaulis Benth., 228
elegantissima Schinz, 229
filicaulis Benth., 229
foliolosa Benth., 229
fruticosa Benth., 229
glutinosa Benth., 229
grandiflora Galpin, 229
integerrima Benth., 230
major Pilger, 230
micrantha Klotzsch, 231
pallida Pilger, 232
phlogiflora Benth., 232
pilgeriana Dinter, 232
racemosa Benth., 232
seineri Pilger, 228
stricta Benth., 232
tenuifolia Bernh., 232
tortuosa Benth., 233
zambesica R.E. Fries, 233
Lysionotus D. Don, 13
aeschynanthoides W.T. Wang, 68
angustisepalus W.T. Wang, 69
atropurpureus Hara, 68
carnosus Hemsl., 69
chingii W.T. Wang, 67
denticulosus W.T. Wang, 66
forrestii W.W. Smith, 68
gamosepalus W.T. Wang, 70
gracilis W.W. Smith, 69
hainanensis Merr. & Chun, 69
heterophyllus Franch. var. heterophyllus, 67
var. lasianthus W.T. Wang, 68
ikedae Hatusima, 70
involucratus Franch., 67
kwangsiensis W.T. Wang, 69
longipedunculatus (W.T. Wang) W.T. Wang, 66
longisepalus H.W. Li, 32
metuoensis W.T. Wang, 69
microphyllus W.T. Wang, 67
mollifolius W.T. Wang, 61
montanus Kao & DeVol, 69
oblongifolius W.T. Wang, 66
omeiensis W.T. Wang, 67
pauciflorus Maxim
var. indutus W.T. Wang, 69
var. lancifolius W.T. Wang, 70
var. lasianthus W.T. Wang, 70
var. latifolius W.T. Wang, 70
var. linearis Rehd., 69
var. pauciflorus, 69
petelotii Pellegr., 68
sangzhiensis W.T. Wang, 70
serratus D. Don
var. pterocaulis C.Y. Wu, 70
var. serratus, 70
sessilifolius Hand.-Mazz., 68
sulphureus Hand.-Mazz., 68
wardii W.W. Smith, 68
wilsonii Rehd., 68

Macrolepiota mastoidea (Fr.) Singer, 106
procera (Scop.: Fr.) Singer, 107
Macromycetes of Mediterranean Turkey, 99
MAIER-STOLTE, M. & FREITAG, H.
A new species and a new combination in the genus Ephedra from Arabia, 89
Manulea argentea L. f., 226
derustiana Hilliard, 297
microphylla L. f., 231

pinnatifida L. f., 232
thunbergii G. Don, 233
Manuleae, Miscellaneous new names and combinations in Scrophulariaceae - Manuleae, 297
Marasmius androsaceus (L.: Fr.) Fr., 111
Matsumuria, 74
Metabriggsia W.T. Wang, 11
ovalifolia W.T. Wang, 30
purpureotincta W.T. Wang, 30
Metapetrocosmea W.T. Wang, 12
peltata (Merr. & Chun) W.T. Wang, 35
Miscellaneous new names and combinations in Scrophulariaceae - Manuleae, 297
Morchella conica Pers., 117
Mycena epipterygia (Scop.: Fr.) S.F. Gray, 111
strobilicola Favre & Kühner, 111

New names and combinations in Jamesbrittenia (Scrophulariaceae - Manuleae), 225
Numerical taxonomic study on Turkish Lathyrus (Leguminosae), 333

Omphalotus olearius (DC.: Fr.) Singer, 107
Opithandra Burtt, 11, 28
acaulis (Merr.) Burtt, 29
cinerea W.T. Wang, 29
dalzielii (W.W. Smith) Burtt, 29
dinghushanensis W.T. Wang, 29
fargesii (Franch.) Burtt, 29
obtusidentata W.T. Wang, 29
sinohenryi (Chun) Burtt, 29
Oreocharis Benth., 9
amabilis Dunn, 15
argyreia K.Y. Pan, 17
aurantiaca Franch., 16
aurea Dunn, 16
auricula (S. Moore) Clarke, 16
benthamii Clarke, 17
bodinieri Lévl., 18
cavaleriei Lévl., 17
cinnamomea Anthony, 16
cordato-ovata H.W. Li, 16
cordatula (Craib) Pellegr., 16
dasyantha Chun, 17
elliptica Anthony, 17
esquirolii Lévl., 14
flavida Merr., 15
forrestii (Diels) Skan, 17
georgei Anthony, 16
henryana Oliv., 17
leiophylla W.T. Wang, 14
magnidens K.Y. Pan, 16
maximowiczii Clarke, 17
minor (Craib) Pellegr., 16
nemoralis Chun, 15
rotundifolia K.Y. Pan, 16
sericea (Lévl.) Lévl., 15
tubicella Franch., 18
tubiflora K.Y. Pan, 17
xiangguiensis W.T. Wang & K.Y. Pan, 17
Ormosolenia restored, 219
Ormosolenia alpina (Sieber ex Schultes) M. Pimenov, 222
cretica (Sprengel) Tausch, 222
pisidica Boiss. & Heldr., 222
Ornithoboea Clarke, 13
arachnoidea (Diels) Craib, 60
calcicola H.W. Li, 61
feddei (Lévl.) Burtt, 61
henryi Craib, 61
wildeana Craib, 61
Oshimella, 74

Pan Kaiyu, Wang Wentsai & Li Zhenyu
Keys to the Gesneriaceae of China, 5
Panaeolus foenisecii (Pers.: Fr.) Schröter, 104
Paraboea (Clarke) Ridley, 13
barbatipes K.Y. Pan, 59
crassifolia (Hemsl.) Burtt, 60
dictyoneura (Hance) Burtt, 60
filipes (Hance) Burtt, 59
hainanensis (Chun) Burtt, 59

martinii (Lévl.) Burtt, 59
neurophylla (Coll. et Hemsl.) Burtt, 59
rufescens (Franch.) Burtt, 59
sinensis (Oliv.) Burtt, 59
swinhoei (Hance) Burtt, 59
thirionii (Lévl.) Burtt, 59
velutina (W.T. Wang & C.Z. Gao) Burtt, 59
Petrocodon Hance, 12
dealbatus Hance
var. dealbatus, 50
var. denticulatus (W.T. Wang) W.T. Wang, 50
denticulatus W.T. Wang, 50
Petrocosmea Oliv., 11
barbata Craib, 33
begoniifolia H.W. Li, 34
caerulea W.T. Wang, 33
cavalerei Lévl., 33
confluens W.T. Wang, 33
duclouxii Craib, 34
flaccida Craib, 33
forrestii Craib, 33
grandiflora Hemsl., 32
grandifolia W.T. Wang, 35
iodioides Hemsl., 34
kerrii Craib, 34
longipedicellata W.T. Wang, 33
mairei Lévl.
var. mairei, 34
var. intraglabra W.T. Wang, 34
martinii Lévl., 34
menglienensis H.W. Li, 34
minor Hemsl., 34
oblata Craib, 33
peltata Merr. & Chun, 35
qinlingensis W.T. Wang, 33
rosettifolia H.W. Li, 33
sericea H.W. Li, 34
sichuanensis W.T. Wang, 34
sinensis Oliv., 33
Peucedanum alpinum (Sieber et Schultes) Burtt & Davis, 223
creticum Sprengel, 222
pisidicum (Boiss. & Heldr.) Boiss., 222
Peziza badioconfusa Korf, 117
repanda Pers., 117
Phellinus pini (Thoe: Fr.) Pilát., 113
rimosus (Berk.) Pilát., 113
Phlebopus brunneoruber (Beeli) Heinem. & Rammeloo, 349
Pholiota astragalina (Fr.) Singer, 105
carbonaria A.H. Smith, 105
Phylloporus albocarnosus Heinemann, 349
PIMENOV, MICHAEL G.
Ormosolenia restored, 219
PIMENOV, MICHAEL G. & KLJUYKOV, EUGINE V.
Reduction of Spongiosyndesmus Gilli to Ladyginia Lipsky (Umbelliferae), 213
Pisolithus arhizus Raz., 116
Platystemma Wall., 10
violoides Wall., 27
Pleurotus ostreatus (Jacq. ex Fr.) Kummer, 107
Primulina Hance, 12
tabacum, 35
Psathyrella sp., 104
Pseudochirita W.T. Wang, 11
guangxiensis (S.Z. Huang) W.T. Wang, 29
Psilocybe pratensis P.D. Orton, 109
Pulveroboletus spp., 350-2
shoreae Singer & Singh, 350
Pyrofomes demidoffii (Lév.) Kotl. & Pouzar, 112

Raphiocarpus, 74
RATTER, J.A. & DARGIE, T.C.D.
An analysis of the floristic composition of 26 Cerrado areas in Brazil, 235
Reyemia Hilliard, 297
chasmanthiflora Hilliard, 297
nemesioides (Diels) Hilliard, 297
Rhabdothamnopsis Hemsl., 13
sinensis Hemsl., 61
Rhizopogon luteolus Fr., 114

roseolus (Corda) Th. Fr., 114
Rhododendron polyanthemum Sleumer, 1
Rhynchoglossum Blume, 14
obliquum Bl.
var. obliquum, 72
var. hologlossum (Hayata) W.T. Wang, 72
omeiiense W.T. Wang, 72
Rhynchotechum Bl., 13
discolor (Maxim.) Burtt, 70
ellipticum (Dietr.) A. DC., 71
formosanum Hatusima, 71
longipes W.T. Wang, 71
obovatum (Griff.) Burtt, 71
vestitum Clarke, 70
ROUT, R.C. & DEB, D.B.
A new species of Ixora from Burma, 95
RUSHFORTH, KEITH
Lectotypes for Himalayan Sorbus taxa (Rosaceae), 299
Russula delica Fr., 108
obscura Rommel, 109
ochroleuca (Pers.) Fr., 108
sanguinea Bull.: Fr., 109
xerampelina Schaeffer: Fr., 109

Sabina excelsa (M.-Bieb.) Ant., 256
foetidissima (Willd.) Ant., 265
isophyllos (K. Koch) Ant., 256
olivieri Ant., 256
polycarpos Ant., 260
procera (Hochst. ex Endl.) Ant., 269
religiosa Ant., 256
seravschanica (Komarov) Nevski, 260
Sarcodon scabrosus (Fr.) Karsten, 112
Schistolobos W.T. Wang, 11
pumilus W.T. Wang, 29
Scrophulariaceae - Manuleae. Miscellaneous new names and combinations in, 297
Scrophulariaceae - Manuleae. New names and combinations in Jamesbrittenia, 225
Sinoboea, 74
Sison alpinus Sieber ex Schultes, 222
sieberanum DC., 222
Slackia, 74
Sorbus taxa, Lectotypes for Himalayan, 299
Sorbus arachnoidea Koehne, 307
foliolosa (Wall.) Spach
var. wenzigiana (Schneider) Rushforth, 305
microphylla Wenzig emend Rushforth, 303
rufopilosa Schneider, 310
ursina (G. Don) Shauer, 305
South and East Central Africa, Boletes from, 343
Southern Africa, Two new species of Streptocarpus from, 75
Spongiosyndesmus Gilli, Reduction of, 213
Stauranthera Benth., 14
umbrosa (Griff.) Clarke, 71
Stereum hirsutum (Willd.: Fr.) S.F. Gray, 113
Streptocarpus from Southern Africa, Two new species of, 75
Streptocarpus makabengensis Hilliard, 75
occultus Hilliard, 75
Stropharia aeruginosa (Curtis ex Fr.) Quélet, 109
Suillus bellini (Inz.) Watl., 102
boudieri (Quélet) Watl., 102
granulatus (Fries) O. Kuntze, 353
Sutera, 225
accrescens Hiern, 225
adpressa Dinter, 225
albiflora Verdoorn, 226
beverlyana Hilliard & Burtt, 227
bicolor Dinter, 227
canescens (Benth.) Hiern
var. *laevior* Dinter, 228
concinna Hiern, 228
dentatisepala Overkott, 228
fodina Wild, 229
fragilis Pilger, 229
jurassica Hilliard & Burtt, 230

macrantha Codd, 230
maritima Hiern, 230
maxii Hiern, 230
merxmuelleri Roessler, 231
pristisepala Hiern, 232
ramosissima Hiern, 232
silenoides Hilliard, 232
tenella Hiern, 232
tysonii Hiern, 233

Taxonomic notes on Cupressaceae I, 251
Taxonomy of multiseed Junipers (Juniperus sect. Sabina) in south-west Asia and East Africa (Taxonomic notes on Cupressaceae I), 251
Tengia Chun, 9
scopulorum Chun, 15
Thamnocharis W.T. Wang, 9
esquirolii (Lévl.) W.T. Wang, 14
TIGIN, C., DOGAN, M. & KENCE, A.
Numerical taxonomic study on Turkish Lathyrus (Leguminosae), 333
Titanotrichum Solereder, 9
oldhamii (Hemsl.) Solereder, 73
Torrendia pulchella Bres., 116
Trametes versicolor (Fr.) Pilát., 113
Tremacron Craib, 9
aurantiacum K.Y. Pan, 19
begoniifolium H.W. Li, 19
forrestii Craib, 18
mairei Craib, 18
obliquifolium K.Y. Pan, 19
rubrum Hand.-Mazz., 18
urceolatum K.Y. Pan, 18
Tricholoma batschii Gulden, 112
caligatum (Viv.) Ricken, 112
terreum (Schff.: Fr.) Kummer, 112
Trichosporum, 74
Trisepalum Clarke, 13
birmanicum (Craib) Burtt, 61
Tuboseta brunneosetosa
var. retipes Heinem. & Rammeloo, 354
Tuminodus, 74
purpureoruber H.W. Li, 61
Turkey, Macromycetes of Mediterranean, 99
Turkish Lathyrus (Leguminosae), Numerical taxonomic study on, 333
TURNBULL, EVELYN & WATLING, ROY
Boletes from South and East Central Africa - I, 343

VAN DE WEGE, J.J., BOS, J.J., GRAVEN, P. & HETTERSCHEID, W.L.A.
Wild and cultivated Dracaena fragrans, 311
Vaniotia, 74
Veloporphyrellus africanus Watling, 357
Verpa conica (O. Müller) Swarzt, 117
Volvariella speciosa (Fr.: Fr.) Singer, 108

WANG WENTSAI, PAN KAIYU & LI ZHENYU
Keys to the Gesneriaceae of China, 5
WATLING, ROY & TURNBULL, EVELYN
Boletes from South and East Central Africa - I, 343
WATLING, ROY & ISILOGLU, MUSTAFA
Macromycetes of Mediterranean Turkey, 99
Whytockia W.W. Sm., 14
chiritoflora (Oliv.) W.W. Smith, 71
sasakii (Hayata) Burtt, 72
tsiangiana (Hand.-Mazz.) A. Weber
var. tsiangiana, 72
var. minor (W.W. Smith) A. Weber, 72
var. wilsonii A. Weber, 72
Wild and cultivated Dracaena fragrans, 311

YEO, P.F.
A revision of Geranium L. in south-west China, 123